

be.ENERGISED certified and compatible charging stations

Our main goal is the trouble-free and efficient operation of connected charging stations. To ensure a positive charging experience we, as a hardware neutral software solutions provider, do not only set high quality standards for ourselves, but also for our hardware partners.

When it comes to the quality of connection and communication between be.ENERGISED and charging systems, or supported features of charging systems, we distinguish between "certified" and "compatible" products.

Certified products are characterized by the successful completion of our certification progress, which means that every requirement of be.ENERGISED has been met. Compatible products can also be connected to be.ENERGISED, but there is the chance that some functionalities will not be available by operating with be.ENERGISED.

Manufacturer	Certified OCPP version 1.5	Compatible OCPP version 1.5	Certified OCPP version 1.6	Compatible OCPP version 1.6	Calibration law conformity	Product name	Item number	
ABL			✓			eMH2 Master+ Single charging cable 22 kW	2W2261	
			✓			eMH2 Master+ Single Socket 22 kW	2W2260	
			✓			eMH2 Master Single charging cable 22 kW	2W2241	
			✓			eMH2 Master Single Socket 22 kW	2W2240	
			✓			eMH2 Master Single charging cable 7,2 kW	2W7241	
			✓			eMH2 Master Single socket 7,2 kW	2W7240	
			✓			eMH2 Master Single charging cable 7,2 kW 60 Hz	2W7242	
			✓			eMH2 Master Single charging cable 7,2 kW Typ1	2W7244	
			✓		✓	eMH3 Master+ Twin charging cable 22 kW, 2x11 kW	3W2264	
			✓		✓	eMH3 Master+ Twin Socket 22 kW, 2x11 kW	3W2263	
			✓		✓	eMH3 Master+ Single charging cable 22 kW	3W2261	
			✓		✓	eMH3 Master+ Single Socket 22 kW	3W2260	
			✓			eMH3 Master Twin charging cable 22 kW, 2x11 kW	3W2225	
			✓			eMH3 Master Twin Socket 22 kW, 2x11 kW	3W2215	
			✓			eMH3 Master Single charging cable 22 kW	3W2211	
			✓			eMH3 Master Single Socket 22 kW	3W2208	
			✓			eMH3 Master Twin charging cable 22 kW, 2x11 kW	3W2227	
			✓			eMH3 Master Twin Socket 22 kW, 2x11 kW Uniper	3W22U5	
			✓		✓	external Control Center with case	1V0001	
			✓		✓	external Control Center without case	1V0002	
			✓			eMC2 Master Twin charging Socket 2x22 kW	2P4445	
			✓			eMC2 Master Twin spiral charging cable 2x22 kW	2P4423	
			✓		✓	eMC3 Master+ Twin charging Socket 2x22 kW HAK eHZ Display	3P4411	
			✓		✓	eMC3 Master+ Twin charging Socket 2x22 kW HAK eHZ	3P4412	
			✓		✓	eMC3 Master+ Twin spiral cable 2x22 kW	3P4433	
			✓		✓	eMC3 Master+ Twin charging Socket 2x22 kW	3P4435	
			✓		✓	eMC3 Master+ Twin charging Socket 2x22 kW	3P4431	
			✓		✓	eMC3 Master+ Twin charging Socket 2x22 kW HAK 3Pkt	3P4432	
	Alfen		•	✓			Eve Mini 3,7kW T2-socket Display RFID	904460004
			•	✓			Eve Mini 7,4kW T2-socket Display RFID	904460014
			•	✓			Eve Mini 11kW T2-socket Display RFID	904460024
			•	✓			Eve Mini 22kW T2-socket Display RFID	904460034
			•	✓			Eve Mini 7,4kW T1-cable 5m	904460011A
			•	✓			Eve Mini 7,4kW T2-cable 5m	904460011B
			•	✓			Eve Mini 7,4kW T1-cable 8m	904460011C
			•	✓			Eve Mini 7,4kW T2-cable 8m	904460011D
			•	✓			Eve Mini 11kW T2-cable 5m	904460021B
			•	✓			Eve Mini 11kW T2-cable 8m	904460021D
			•	✓			Eve Mini 22kW T2-cable 5m	904460031B
			•	✓			Eve Mini 22kW T2-cable 8m	904460031D
			•	✓			Eve Mini 3,7kW T1-cable 5m RFID	904460002A
		•	✓			Eve Mini 3,7kW T2-cable 5m RFID	904460002B	
		•	✓			Eve Mini 3,7kW T1-cable 8m RFID	904460002C	
		•	✓			Eve Mini 3,7kW T2-cable 8m RFID	904460002D	
		•	✓			Eve Mini 7,4kW T1-cable 5m RFID	904460012A	
		•	✓			Eve Mini 7,4kW T2-cable 5m RFID	904460012B	
		•	✓			Eve Mini 7,4kW T1-cable 8m RFID	904460012C	
		•	✓			Eve Mini 7,4kW T2-cable 8m RFID	904460012D	
		•	✓			Eve Mini 11kW T2-cable 5m RFID	904460022B	
		•	✓			Eve Mini 11kW T2-cable 8m RFID	904460022D	
		•	✓			Eve Mini 22kW T2-cable 5m RFID	904460032B	
		•	✓			Eve Mini 22kW T2-cable 8m RFID	904460032D	
		•	✓			Eve Double 2x 7,4kW T2-sockets Display RFID 1 supply cable (7,4kW)	904461011-0004	
		•	✓			Eve Double 2x 7,4kW T2-sockets Display RFID 2 supply cable (14,8kW)	904461012-0004	
		•	✓			Eve Double 2x 22kW T2-sockets Display RFID 1 supply cable (22kW)	904461011-0004	
		•	✓			Eve Double 2x 22kW T2-sockets Display RFID 2 supply cable (44kW)	904461012-0004	
		•	✓			Eve Double PG-line 2x 22kW T2-sockets Display RFID 1 supply cable (44kW)	904462001	
		•	✓			Eve Double Pro-line DE 1VK	904461101	
		•	✓			Eve Double Pro-line DE 2 VK	904461102	
		•	✓			Eve Double PG-line DE	904462001	
Alpitronic				✓			HYC075	n.a.
			✓			HYC225	n.a.	
			✓			HYC300	n.a.	
ChargeX			✓			Aqueduct_4	CX-08-4000	
			✓			Aqueduct+	CX-08-1000	
Circontrol	✓					eVolve Smart T	PVS00064013	
	✓					eVolve Smart S	PVS00064011	
	✓					eVolve Smart TM4	PVS00064083	
	✓					WallBox eVolve Smart T	WVS00064013	
	✓					WallBox eVolve Smart S	WVS00064011	
	✓					WallBox eVolve Smart TM4	WVS00064083	
	✓					eStreet T	PSS00064013	
	✓					eStreet TM4	PSS00064011	
	✓					Raption 22 CCS CHA T2S32	QCR02232D13	
	✓					Raption 22 CCS CHA	QCR02200D03	
	✓					Raption 22 CCS	QCR02200D03	
	✓					Raption 22 CHA	QCR02200H03	
	✓					Raption 50 CCS CHA T2C63	QCR05063D73	
	✓					Raption 50 CCS CHA T2S32	QCR05032D13	
✓					Raption 50 CCS CHA	QCR05000D03		
					Raption 50 CCS	QCR05000D03		
Civitrionic			✓			L22C	n.a.	
			✓			L22S	n.a.	
			✓			L43C	n.a.	
Compleo	✓		✓		✓	Advanced BM (Base Mounted)	n.a.	
	✓		✓		✓	Advanced WM (Wall Mounted)	n.a.	
	✓		✓		✓	Highline BM (Base Mounted)	n.a.	
	✓		✓		✓	Cito BM 500	n.a.	

Manufacturer	Certified OCPP version 1.5	Compatible OCPP version 1.5	Certified OCPP version 1.6	Compatible OCPP version 1.6	Calibration law conformity	Product name	Item number
Delta Electronics				•		Ultra Fast Charger	n.a.
				•		DC Wallbox 25kW	n.a.
ebee Smart Technologies			✓		✓	Chargespot "Berlin"	100010
			✓		✓	Chargespot "Berlin"	10005
			✓		✓	Chargespot "Berlin"	10002D
			✓		✓	Chargespot "Berlin"	10004D
EVTEC	✓					coffee&charge 3in1	10662
	✓					move&charge 3in1	10719
	✓					espresso&charge 4in1	10566
	✓					espresso&charge 6in1	10624
Garo		•		•		LS4	n.a.
		•		•		GLB-B-T137FC	n.a.
		•		•		GLB-B-T237FC	n.a.
		•		•		GLB-B-T274WO	n.a.
		•		•		GLB-B-T222FC	n.a.
		•		•		GLB-B-T222WO	n.a.
Hager			✓			XEV653C	XEV653C
Hummel Systemhaus			✓			Revolution E Spro100 1x22kW Typ2 with attached cable	DAB01
			✓			Revolution E Spro100 1x22kW Typ2 with socket	DAB01
			✓			Revolution E Spro100 1x43kW Typ2 with attached cable	DAB01
			✓			Revolution E Spro100 1x43kW Typ2 with socket	DAB01
			✓			Revolution E Spro200 2x22kW Typ2 with attached cable	DAB01
			✓			Revolution E Spro200 2x22kW Typ2 with socket	DAB01
			✓			Revolution E SproWallbox 1x22kW Typ2 with attached cable	DAB02
			✓			Revolution E SproWallbox 1x22kW Typ2 with socket	DAB02
			✓			Revolution E SproWallbox 1x43kW Typ2 with attached cable	DAB02
			✓			Revolution E SproWallbox 1x43kW Typ2 with socket	DAB02
IES Synergy				•		KEYWATT 24 Wallbox Multi / WBG3 X 24kW 500/65 STD 2 3PN	WBG3 X_TRI 3PN CHARGER
				•		KEYWATT 24 Wallbox Multi / WBG3 X 24kW 500/65 STD 2 3P	WBG3 X_TRI 3P CHARGER
				•		KEYWATT 24 Wallbox Bi / WBG3 B 24KW 500/65 STD 2 3PN	WBG3 B_TRI 3PN CHARGER
				•		KEYWATT 24 Wallbox Bi / WBG3 B 24KW 500/65 STD 2 3P	WBG3 B_TRI 3P CHARGER
				•		KEYWATT 24 Wallbox Mono CHADEMO / WBG3 24KW 530/65 STD 3 3P+N	WBG3 3 3PN CHARGER
				•		KEYWATT 24 Wallbox Mono COMBO 2 / WBG3 24KW 530/65 STD 2 3P+N	WBG3 3 3PN CHARGER
				•		KEYWATT 24 Wallbox Mono CHADEMO / WBG3 24KW 530/65 STD 3 3P	WBG3 3 3P CHARGER
				•		KEYWATT 24 Wallbox Mono COMBO 2 / WBG3 24KW 530/65 STD 2 3P	WBG3 3 3P CHARGER
INGETEM POWER TECHNOLOGY				•		Keywatt DC Wallbox 24kW	n.a.
			✓			INGEREV FUSION WALL Single-phase	FW1MW-N2N2
			✓			INGEREV FUSION WALL Single-phase	FW1MW-C2C2
			✓			INGEREV FUSION WALL Three-phase	FW3MW-N2N2
			✓			INGEREV FUSION WALL Three-phase	FW3MW-C2C2
			✓			INGEREV FUSION STREET Single-phase	FS1MW-N2N2
			✓			INGEREV FUSION STREET Single-phase	FS1MW-C2C2
			✓			INGEREV FUSION STREET Three-phase	FS3MW-N2N2
			✓			INGEREV FUSION STREET Three-phase	FS3MW-C2C2
			✓			INGEREV RAPID 50 TRIO	RTM50
			✓			INGEREV RAPID 50 DUO	RDM50

Manufacturer	Certified OCPP version 1.5	Compatible OCPP version 1.5	Certified OCPP version 1.6	Compatible OCPP version 1.6	Calibration law conformity	Product name	Item number
KEBA	✓		✓			c-series EN Type2 Socket 22kW	97908
	✓		✓			c-series EN Type2 Socket 22kW-MID	104422
	✓		✓			c-series EN Type2 Socket 22kW-RFID	97912
	✓		✓			c-series EN Type2 Socket 22kW-RFID-MID	102637
	✓		✓			c-series EN Type2 Socket+Shutter 22kW	98087
	✓		✓			c-series EN Type2 Socket+Shutter 22kW-RFID	98088
	✓		✓			c-series EN Type2-4m Cable 11kW	97915
	✓		✓			c-series EN Type2-4m Cable 11kW-MID	105146
	✓		✓			c-series EN Type2-4m Cable 22kW	97919
	✓		✓			c-series EN Type2-4m Cable 22kW-MID	104423
	✓		✓			c-series EN Type2-4m Cable 22kW-RFID	97921
	✓		✓			c-series EN Type2-4m Cable 22kW-RFID-MID	105144
	✓		✓			c-series EN Type2-6m Cable 22kW	97924
	✓		✓			c-series EN Type2-6m Cable 22kW-MID	105143
	✓		✓			c-series EN Type2-6m Cable 22kW-RFID	97925
	✓		✓			c-series EN Type2-6m Cable 22kW-RFID-MID	105145
	✓		✓			c-series EN Type1-4m 4,6kW	97926
	✓		✓			c-series EN Type1-4m 4,6kW-RFID	97929
	✓		✓			x-series EN Type2 Socket 22kW	98101
	✓		✓			x-series EN Type2 Socket 22kW-MID	105150
	✓		✓			x-series EN Type2 Socket 22kW-RFID	98102
	✓		✓			x-series EN Type2 Socket 22kW-RFID-MID	102636
	✓		✓			x-series EN Type2 Socket 22kW-UMTS3G	102073
	✓		✓			x-series EN Type2 Socket 22kW-UMTS3G-MID	105643
	✓		✓			x-series EN Type2 Socket 22kW-UMTS3G-RFID	102074
	✓		✓			x-series EN Type2 Socket 22kW-UMTS3G-RFID-MID	105641
	✓		✓			x-series EN Type2 Socket+Shutter 22kW	105629
	✓		✓			x-series EN Type2 Socket+Shutter 22kW-RFID	104327
	✓		✓			x-series EN Type2 Socket+Shutter 22kW-UMTS3G	105650
	✓		✓			x-series EN Type2 Socket+Shutter 22kW-UMTS3G-RFID	105651
	✓		✓			x-series EN Type2-4m Cable 11kW	98103
	✓		✓			x-series EN Type2-4m Cable 11kW-UMTS3G	102077
	✓		✓			x-series EN Type2-4m Cable 22kW	98104
	✓		✓			x-series EN Type2-4m Cable 22kW-MID	105153
	✓		✓			x-series EN Type2-4m Cable 22kW-RFID	98105
	✓		✓			x-series EN Type2-4m Cable 22kW-RFID-MID	105152
	✓		✓			x-series EN Type2-4m Cable 22kW-UMTS3G	102079
	✓		✓			x-series EN Type2-4m Cable 22kW-UMTS3G-RFID	102081
	✓		✓			x-series EN Type2-4m Cable 22kW-UMTS3G-RFID-MID	105642
	✓		✓			x-series EN Type2-6m Cable 22kW	98106
	✓		✓			x-series EN Type2-6m Cable 22kW-RFID	98107
	✓		✓			x-series EN Type2-6m Cable 22kW-RFID-MID	105155
	✓		✓			x-series EN Type2-6m Cable 22kW-UMTS3G	102082
	✓		✓			x-series EN Type2-6m Cable 22kW-UMTS3G-MID	105645
	✓		✓			x-series EN Type2-6m Cable 22kW-UMTS3G-RFID	102083
	✓		✓			x-series EN Type2-6m Cable 22kW-UMTS3G-RFID-MID	105644
	✓		✓			x-series EN Type1-4m 4,6kW	98108
	✓		✓			x-series EN Type1-4m 4,6kW-RFID	98109
	✓		✓			x-series EN Type1-4m 4,6kW-UMTS3G	102084
	✓		✓			x-series EN Type1-4m 4,6kW-UMTS3G-RFID	102086
	✓		✓		✓	c-series EN Type2 Socket 22kW-M&E	1319610
	✓		✓		✓	c-series EN Type2 Socket 22kW-RFID-M&E	1319611
	✓		✓		✓	c-series EN Type2-4m Cable 22kW-M&E	316510
	✓		✓		✓	c-series EN Type2-4m Cable 22kW-RFID-M&E	316511
	✓		✓		✓	x-series EN Type2 Socket 22kW-UMTS3G-RFID-M&E	108.696
	✓		✓		✓	x-series EN Type2-4m Cable 22kW-M&E	108.340
	✓		✓		✓	x-series EN Type2-4m Cable 22kW-RFID-M&E	108.690
	✓		✓		✓	x-series EN Type2-4m Cable 22kW-UMTS3G-RFID-M&E	108.335
	✓		✓		✓	x-series EN Type2-6m Cable 22kW-M&E	108.334
	✓		✓		✓	x-series EN Type2-6m Cable 22kW-RFID-M&E	108.691
✓		✓		✓	x-series EN Type2-6m Cable 22kW-UMTS3G-RFID-M&E	108.692	
✓		✓		✓	x-series EN Type2-4m Cable 22kW-UMTS3G-RFID-M&E	108.693	
✓		✓		✓	x-series EN Type2-6m Cable 22kW-M&E	108.697	
✓		✓		✓	x-series EN Type2-6m Cable 22kW-RFID-M&E	108.339	
✓		✓		✓	x-series EN Type2-6m Cable 22kW-UMTS3G-RFID-M&E	108.338	
Kostad				•		CPC50kW	10501
				•		CPC50kW	10502
				•		CPC50kW	10503
				•		CPC50kW	10504
				•		CPC50kW	10505
				•		CPC50kW	10506
				•		CPC50kW	10507
				•		CPC50kW	10508
				•		CPC50kW	10509
				•		CPC150kW	11201
				•		CPC150kW	11202
				•		CPC150kW	11203
				•		CPC150kW	11204
				•		CPC150kW	11205
				•		CPC150kW	11206
			•		CPC150kW	11207	
			•		CPC150kW	11208	
			•		CPC150kW	11209	
			•		CPC150kW	11210	
			•		CPC150kW	11211	
			•		CPC150kW	11212	
			•		CPC150kW	11213	
			•		CPC150kW	11214	

Manufacturer	Certified OCPP version 1.5	Compatible OCPP version 1.5	Certified OCPP version 1.6	Compatible OCPP version 1.6	Calibration law conformity	Product name	Item number	
neom				•		Smart Charger	KSC222S	
				•		Smart Charger	KSC222C	
				•		Wallbox Pro 1x22 kW Socket	KWB122S	
				•		Wallbox Pro 1x22 kW Cable	KWB222C	
				•		Wallbox Pro 2x22 kW Socket	KWB122S	
				•		Wallbox Pro 2x22 kW Cable	KWB222C	
PC Electric	✓		✓			Charger LS4 2x3,7kW AC-1p 230V/2x16A 2xTyp2 F(A) + kWh + LAN + RFID	352879	
	✓		✓			Charger LS4 2x3,7kW AC-1p 230V/2x16A 2xTyp2 F(A) + kWh + 3G + RFID	352881	
	✓		✓			Charger LS4 2x7,4kW AC-1p 230V/2x32A 2xTyp2 F(A) + kWh + LAN + RFID	352880	
	✓		✓			Charger LS4 2x7,4kW AC-1p 230V/2x32A 2xTyp2 F(A) + kWh + 3G + RFID	352882	
	✓		✓			Charger LS4 2x11kW AC-3p 400V/2x16A 2xTyp2 F(A) + kWh + LAN + RFID	352828	
	✓		✓			Charger LS4 2x11kW AC-3p 400V/2x16A 2xTyp2 F(A) + kWh + 3G + RFID	352830	
	✓		✓			Charger LS4 2x22kW AC-3p 400V/2x32A 2xTyp2 F(A) + kWh + LAN + RFID	352829	
	✓		✓			Charger LS4 2x22kW AC-3p 400V/2x32A 2xTyp2 F(A) + kWh + 3G + RFID	352831	
	✓		✓			Charger LS4 2x22kW AC-3p 400V/2x32A 2xTyp2 F(A+DC) + kWh + LAN + RFID	353054	
	✓		✓			Charger LS4 2x22kW AC-3p 400V/2x32A 2xTyp2 F(A+DC) + kWh + 3G + RFID	353053	
	✓		✓			Charger LS4 Compact 2x11kW AC-3p 400V/2x16A 2xTyp2 F(A+DC) + kWh + LAN + RFID	353062	
	✓		✓			Charger LS4 Compact 2x11kW AC-3p 400V/2x16A 2xTyp2 F(A+DC) + kWh + 3G + RFID	353066	
	✓		✓			Charger LS4 Compact 2x22kW AC-3p 400V/2x32A 2xTyp2 F(A+DC) + kWh + LAN + RFID	353063	
	✓		✓			Charger LS4 Compact 2x22kW AC-3p 400V/2x32A 2xTyp2 F(A+DC) + kWh + 3G + RFID	353067	
	✓		✓			Wallbox PCE GLB+DC Typ2FC22kW LAN Z RFID	353456P	
	✓		✓			Wallbox PCE GLB+DC Typ2D022kW LAN Z RFID	353457P	
	✓		✓			Wallbox PCE GLB+DC Typ2FC22kW 4G Z RFID	353462P	
	✓		✓			Wallbox PCE GLB+DC Typ2D022kW 4G Z RFID	353463P	
	Pihong Technology			✓			EAA43E2EF8P1-RW	n.a.
				✓			EAA43E3EF8P1-RW	n.a.
			✓			EA873E3EF8P1-RW	n.a.	
Scame Parre S.p.A.		•			Z04.CA42B-001ME	n.a.		
Schneider Electric	✓		✓			Smart Wallbox (G3) - T2 - 7/22 kW - key	EV81A22P2KI	
	✓		✓			Smart Wallbox (G3) - T2 - 7/22 kW - RFID	EV81A22P2RI	
	✓		✓			Smart Wallbox (G3) - T2S - 7/22 kW - domestic socket TE - Key	EV81A22P4EKI	
	✓		✓			Smart Wallbox (G3) - T2S - 7/22 kW - domestic socket TE - RFID	EV81A22P4EKI	
	✓		✓			Smart Wallbox (G3) - Attached cable T1 - 7kW - Key	EV81A7PAKI	
	✓		✓			Smart Wallbox (G3) - Attached cable T1 - 7kW - RFID	EV81A7PARI	
	✓		✓			Smart Wallbox (G3) - Attached cable T2 - 7kW - Key	EV81A7PCKI	
	✓		✓			Smart Wallbox (G3) - Attached cable T2 - 7kW - RFID	EV81A7PCRI	
	✓		✓			Smart Wallbox (G3) - Attached cable T2 - 22kW - Key	EV81A22PCKI	
	✓		✓			Smart Wallbox (G3) - Attached cable T2 - 22kW - RFID	EV81A22PCRI	
	✓		✓			Parking - 22kW - 2xT2	EVW2S22P22	
	✓		✓			Parking - 22kW - 2xT2 - RFID	EVW2S22P22R	
	✓		✓			EVIlink parking spot 2 wall 22kW-T2 2,3kW-TF	EVW2S22P2F	
	✓		✓			EVIlink parking spot 2 wall 22kW-T2 2,3kW-TF RFID	EVW2S22P2FR	
	✓		✓			Parking - 22kW - 2xT2	EVF2S22P22	
	✓		✓			Parking - 22kW - 2xT2 - RFID	EVF2S22P22R	
	✓		✓			EVIlink parking spot 2 ground 22kW-T2 2,3kW-TF	EVF2S22P2F	
	✓		✓			EVIlink parking spot 2 ground 22kW-T2 2,3kW-TF RFID	EVF2S22P2FR	
	✓		✓			EVIlink City TE 2x22kW-T2 2x3kW-TE RFID	EVCS22P4E4ERF	
	✓		✓			EVIlink City TE 2x22kW-T2 2x3kW-TE RFID + vehicle identification	EVCS22P4E4ERFD	
	✓		✓			EVIlink City TE 2x22kW-T2 2x3kW-TE RFID + modem	EVCS22P4E4ERFM	
	✓		✓			EVIlink City TE 2x22kW-T2 2x3kW-TE RFID + vehicle identification + modem	EVCS22P4E4ERFT	
	✓		✓			Smart Wallbox (G3) - T2S - 7/22 kW - key	EV81A22P4KI	
	✓		✓			Smart Wallbox (G3) - T2S - 7/22 kW - RFID	EV81A22P4RI	
	✓		✓			Parking - 7kW - 1xT2	EVW2S7P02	
	✓		✓			Parking - 7kW - 1xT2S	EVW2S7P02R	
	✓		✓			Parking - 7kW - 1xT2S - RFID	EVW2S7P04	
	✓		✓			Parking - 7kW - 2xT2	EVW2S7P04R	
	✓		✓			Parking - 7kW - 2xT2 - RFID	EVW2S7P22	
	✓		✓			Parking - 7kW - 2xT2S	EVW2S7P22R	
	✓		✓			Parking - 7kW - 2xT2S - RFID	EVW2S7P44	
	✓		✓			Parking - 7kW - 2xT2S - RFID	EVW2S7P44R	
	✓		✓			Parking - 22kW - 1xT2	EVW2S22P02	
	✓		✓			Parking - 22kW - 1xT2 - RFID	EVW2S22P02R	
	✓		✓			Parking - 22kW - 1xT2S	EVW2S22P04	
	✓		✓			Parking - 22kW - 1xT2S - RFID	EVW2S22P04R	
	✓		✓			Parking - 22kW - 2xT2S	EVW2S22P44	
	✓		✓			Parking - 22kW - 2xT2S - RFID	EVW2S22P44R	
	✓		✓			Parking - 7kW - 1xT2	EVF2S7P02	
	✓		✓			Parking - 7kW - 1xT2 - RFID	EVF2S7P02R	
	✓		✓			Parking - 7kW - 1xT2S	EVF2S7P04	
	✓		✓			Parking - 7kW - 1xT2S - RFID	EVF2S7P04R	
	✓		✓			Parking - 7kW - 2xT2	EVF2S7P22	
	✓		✓			Parking - 7kW - 2xT2 - RFID	EVF2S7P22R	
	✓		✓			Parking - 7kW - 2xT2S	EVF2S7P44	
	✓		✓			Parking - 7kW - 2xT2S - RFID	EVF2S7P44R	
	✓		✓			Parking - 22kW - 1xT2	EVF2S22P02	
✓		✓			Parking - 22kW - 1xT2 - RFID	EVF2S22P02R		
✓		✓			Parking - 22kW - 1xT2S	EVF2S22P04		
✓		✓			Parking - 22kW - 1xT2S - RFID	EVF2S22P04R		
✓		✓			Parking - 22kW - 2xT2S	EVF2S22P44		
✓		✓			Parking - 22kW - 2xT2S - RFID	EVF2S22P44R		
✓		✓			Parking 3 Wall	EVW3G22P2RSE		
✓		✓			Parking 3 Ground	EVF3G22P2RSE		
Schrack Technik	✓	•				i-CHARGE Mini Online 11kW	EMPU8M130	
	✓			•		i-CHARGE Mini Online 22kW	EMPU8M160	
	✓			•		i-CHARGE Public 200 Online 11kW Schuko	EMPU80230	
	✓					i-CHARGE Public 200 Online 22kW Schuko	EMPU80260	
	✓					i-CHARGE Public 200 Online 2x11kW	EMPU80270	
	✓					i-CHARGE Public 400 Online 2x22kW	EMPU81290	
	✓			•		i-CHARGE Public 400 Online 2x11kW 2xSchuko	EMPU81490	
	✓					i-CHARGE Public 400 Online 2x22kW 2xSchuko	EMPU81440	
	✓					i-CHARGE Public 2 Online 22kW Schuko	EMPU82260	
	✓					i-CHARGE Public 2 Online 2x11kW	EMPU82270	
	✓					i-CHARGE Public 2 Online 2x22kW	EMPU82290	
	✓			•		i-CHARGE Public 2 Online 22kW 11kW 2xSchuko	EMPU82490	
	✓					i-CHARGE Public 2 Online 2x22kW 2xSchuko	EMPU82440	
	✓					i-CHARGE PUBLIC 200 44kW	EMPU80190	
	✓					i-CHARGE PUBLIC 200 2x22kW	EMPU80290	
	✓					i-CHARGE PUBLIC Wall 2 22kW/Schuko	EMPU8W2260	
	✓					i-CHARGE PUBLIC Wall 2 2x22kW	EMPU8W2290	
✓					i-CHARGE CION 22kW	EMCION22PM		
SMIGHT (EnBW)		•		•		PowC00-ER	59812265	
		•		•		PowC00-ER	58923265	
		•		•		Base06	BXX04201806	
		•		•		Base45	BXX04201845	
TWM Traffic Control Systems			✓			TWM-EVC02	TWM-01	

Manufacturer	Certified OCPP version 1.5	Compatible OCPP version 1.5	Certified OCPP version 1.6	Compatible OCPP version 1.6	Calibration law conformity	Product name	Item number
Vestel			✓			EVC02-AC22GR	n.a.
			✓			EVC02-AC11GR	n.a.
			✓			EVC02-AC7GR	n.a.
			✓			EVC02-AC3GR	n.a.
			✓			EVC02-AC22GR-T2P	n.a.
			✓			EVC02-AC11GR-T2P	n.a.
			✓			EVC02-AC7GR-T2P	n.a.
			✓			EVC02-AC3GR-T2P	n.a.
			✓			EVC02-AC22UR	n.a.
			✓			EVC02-AC11UR	n.a.
			✓			EVC02-AC7UR	n.a.
			✓			EVC02-AC3UR	n.a.
			✓			EVC02-AC22UR-6	n.a.
			✓			EVC02-AC11UR-6	n.a.
			✓			EVC02-AC7UR-6	n.a.
		✓			EVC02-AC3UR-6	n.a.	
walbe				•		walbe Pro	4260449093544
Walther-Werke		•				E-Station ECOLECTRA 600 PRO	ESTG0AM52080
		•				E-Station ECOLECTRA 600 PRO	ESUG0A552060
		•				E-Station EVOLUTION 350 PRO	E2TG01M52080
		•				E-Station EVOLUTION 350 PRO	E2UG01M520CB
			✓			ECOLECTRA 600 T2+	EST10BMS60J0
			✓			ECOLECTRA 250 M2+	EFTK08MS60H0
			✓			ECOLECTRA 250 M1+	EFVN08MS70H0
			✓			EVOLUTION 350 M2+	E2T107M560I0
			✓			systemEVO M2+	98600102
			✓			ECOLECTRA 600 T2	ESTG0B5520J0
			✓			ECOLECTRA 250 M2	EFTL08M520H0
			✓			EVOLUTION 350 M2	E2TG07M520I0
		✓			systemEVO M2	98600110	
Webasto					AC Live 11KW	5110395A	
					AC Live 22KW	5110394A	
Wirelane		•				Light & Charge Pole/Wall mounted	CH-10337A
		•				Light & Charge Pole/Wall mounted	CH-10311A
		•				Light & Charge Pole/Wall mounted	CH-10322A
		•				Light & Charge Single Pedestal	CH-10337B
		•				Light & Charge Single Pedestal	CH-10311B
		•				Light & Charge Single Pedestal	CH-10322B
		•				Light & Charge Double Pedestal	CH-10337C
		•				Light & Charge Double Pedestal	CH-10311C
XCharge Europe GmbH				•		Light & Charge Double Pedestal	CH-10322C
					C6EU1DC Charger	1	